

Dell OptiPlex GX620 and GX520

The GX620 and the GX520 are designed for the enterprise customer who is looking for performance, stability and flexibility in the workplace. The GX620 and GX520 extend industry-leading solutions through customer-driven innovation, environmental responsibility and excellent customer choice by offering seven different chassis choices sharing one single image. This helps to provide excellent image stability and a low ownership cost. The GX520 provides integrated desktop innovations for customers seeking a robust mainstream business solution, while the GX620 offers all the benefits of the GX520 plus maximum flexibility, security and investment protection including the new Intel® Pentium® D dual-core processor.



Direct Detect™ keeps the pulse on the health of your system

- Provides quick and convenient status indication of your hard-drive activity, network connectivity and overall system health



Usability at your fingertips

- USB ports are conveniently located on the front of the system for easy access and spacing for side-by-side installation of USB devices



Innovative BTX design

- Dell™s standard BTX chassis design, power supply and motherboards are designed for thermal efficiency, providing improved reliability and quieter operation compared to previous OptiPlex™ models



Innovative HyperCool™ system

- Dell's HyperCool thermal management technology uses variable-speed fans that provide optimal cooling with less power and enables quieter operation compared to previous OptiPlex models



Solution for every space

- The GX620 offers the ultra-small form factor and the small form factor chassis with an innovative all-in-one solution for space-constrained environments
- The GX520 includes this offering on the small form factor chassis



Environmental peace of mind

- Environmentally conscious design with RoHS-compliant configurations available¹
- Waste reduction via customer-selectable documentation and media at the point of purchase
- Compliant straight from the factory with ENERGY STAR®, TCO and Blue Angel
- Asset recovery and disposal services available

Dell services help make OptiPlex desktops easier to deploy and easier to manage

- Image management – helps reduce image management complexity and costs by assisting customers with image development, testing and validation
- Custom Factory Integration – key services include custom image load, asset tagging and management, and custom hardware installation
- Deployment – Dell can arrange for custom logistics and delivery as well as installation of new systems and removal of old hardware

Easy as **DELL**™

Visit www.euro.dell.com for more information.

Dell OptiPlex GX620 and GX520

SYSTEM

Dell™ recommends Microsoft® Windows® XP Professional

Operating Systems	Microsoft® Windows® XP Professional and Microsoft Windows XP Home Edition
Processor	Intel® 945G chipset, Intel Pentium® D processor with Dual Core architecture, Intel Pentium 4 processor with the option of implementing Hyper-Threading Technology or Celeron D® processor
Processor Features	Intel Pentium D 800MHz FSB socket T with Dual Core technology XD, EM64T, 2x2MB L2 cache and EIST Intel Pentium 4 800MHz FSB socket T with HT, XD, EM64T, 2MB L2 cache and EIST Intel Pentium 4 800MHz FSB socket T with HT, XD, EM64T and 1MB L2 cache Intel Celeron D 533 MHz FSB Socket T with XD & EM64T and 256KB L2 cache
Memory	(GX620) Four DIMM slots (two DIMM slots on USFF chassis); non-ECC dual-channel shared ⁵ DDR2 SDRAM system memory (533MHz) up to 4GB ⁴ (GX520) Two DIMM slots non-ECC dual-channel shared ⁵ DDR2 SDRAM system memory (533MHz) up to 2GB
Video Graphics Controller	Integrated Intel Graphics Media Accelerator 950 DVI Adapter card (GX620); 128MB ATI® Radeon® X600SE with DVI and TV-out (GX620), ATI Radeon X600 256MB Dual Monitor Graphics Card (Dual DVI/VGA via optional cable)
Hard Drive	40GB ⁵ , 80GB ⁵ and 160GB ⁵ 7200RPM serial ATA; 250GB ⁵ 7200RPM and 80GB 10 000RPM serial ATA available on GX620
Network Controller	Broadcom® 5751 Gigabit Ethernet LAN solution 10/100/1000 ² Ethernet with Remote Wake-up and PXE support
Standard I/O Ports	Eight USB 2.0 (two front and six rear), USFF offers seven USB 2.0 (two front and five rear), one Ethernet (RJ45), one nine-pin serial (16550-compatible), one parallel (25-hole, bi-directional), one VGA out, (DVI-I-out on USFF) Optional second serial port (not available on USFF), stereo line-in, microphone-in (front), speakers/line-out and headphone (front)
Dimensions	Small form factor 31.63cm x 9.26cm x 34cm Desktop 39.59cm x 11.43cm x 34.77cm Mini-tower 41.14cm x 18.96cm x 43.18cm Ultra-small form factor 26.3cm x 8.9cm x 25.28cm
Power Supply	(GX620) Small form factor 275W; Desktop 280W; Mini-tower 305W; Ultra-small form factor 220W (External) (GX520) Small form factor 220W; Desktop 220W; Mini-tower 230W
Monitors	15" E156FPb TFT Flat Panel, 17" E773c/s 17" E176FPb TFT Flat Panel, 17" M783 19" E196FPb TFT Flat Panel, UltraSharp™ 17" 1707FP TFT Flat Panel, UltraSharp 19" 1907FP TFT Flat Panel, UltraSharp 20" 2007FP TFT Flat Panel, UltraSharp 20" 2007FPW TFT Flat Panel, UltraSharp 24" 2407FPW TFT Flat Panel
All-in-one Solutions	1706FP All-in-one (USFF chassis)
Keyboard (105 Keys)	Dell Enhanced QuietKey™ USB, Enhanced Performance USB, Smart Card keyboard USB
Mouse	Dell USB two-button and Dell USB optical two-button scroll
Speakers	Internal Dell business audio speaker, Dell A225, Dell A525, AS501 and AS501PA sound bar available with select FP monitors
Removable Media Storage Devices ..	USB Floppy Drive, CD-ROM, CD-RW ⁶ , CD-RW/DVD Combo, DVD-ROM ⁶ and DVD+/-RW ⁶
USB Storage Keys	Dell USB Memory Key 128MB, 256MB and USB 2.0 full-speed-compliant and bootable
Security	Trusted Platform Module 1.2 (TPM 1.2) standard on the GX620 Chassis intrusion switch standard on GX620, optional on GX520
Standards	TCO99, Blue Angel, Green PC, ENERGY STAR®, CECP, BSMI, C-TICK, CE, FCC, IRAM, NEMKO, NFPA 99, SABBS, SASO, TCO, TUV, UL, VCCI, USB 2.0
Base Service	Three-Year Next Business Day On-Site ⁷
Optional Service	Custom Factory Integration, Gold Technical Support (GTS), Same Day Response (12x5), On-Site Hardware Support, CompleteCare™ Accidental Damage, PC Installation Services, Dell Training, Asset Recovery Services

CHASSIS

SMALL FORM FACTOR,
DESKTOP AND MINITOWER
AVAILABLE

PERIPHERALS

STORAGE DEVICES

SECURITY

ENVIRONMENTAL
ERGONOMICS & REGULATORY
SERVICE & SUPPORT

Dell PCs use genuine Microsoft® Windows®
www.microsoft.com/piracy/howtotell

[#] not available on SF or USFF

Subject to availability, prices and specifications are correct at the date of publication and may change without notice. Dell's Terms and Conditions of Sale and Service apply and are available on request and at www.euro.dell.com. 1. Meets the requirements of the EU Restriction on certain Hazardous Substances directive dated 27 January, 2003. 2. The term Gigabit Ethernet does not connote an actual operating speed of 1Gbit/sec. For high-speed transmission, connection to a Gigabit Ethernet server and network infrastructure is required. 3. Up to 224MB of system memory may be allocated to support graphics, depending on system memory size and other factors. 4. The total amount of usable memory available will be less than 4GB, depending on the actual system configuration. 5. For hard drives, GB means 1 billion bytes; actual capacity varies with preloaded material and operating system and will be less. 6. Discs burned with this drive may not be compatible with some existing drives and players; using DVD-R media provides maximum compatibility. 7. Service may be provided by third party. Technician will be dispatched if necessary following phone-based troubleshooting. Subject to parts availability, geographical restrictions and terms of service contract. Service timing dependent upon time of day call placed to Dell. © 2006 Dell Computer Corporation. Dell, the Dell logo, DirectDetect, HyperCool, OptiPlex, QuietKey, UltraScan and UltraSharp are registered trademarks or trademarks of Dell Computer Corporation. Intel, the Intel Inside logo, Pentium and Celeron are registered trademarks or trademarks of Intel Corporation. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. ATI and Radeon are registered trademarks of ATI Technologies, Inc. Broadcom is a registered trademark of Broadcom Corporation. ENERGY STAR is a registered trademark of the United States Environmental Protection Agency. Dell disclaims proprietary interest in the trademarks and names of others.



EU909/20April2006

For detailed environmental information go to:
www.dell.com/environment_datasheets

Easy as **DELL**™

Visit www.euro.dell.com for more information.